

2026

NEW PRODUCTS PG. 5



WHERE
SAFETY & QUALITY
STAND FIRST.

MADE IN THE U.S.A.

BROWNELL
BOAT STANDS & EQUIPMENT

BOATSTANDS.COM 508.758.3671 MADE IN THE U.S.A. €



BROWNELL BOAT STANDS & EQUIPMENT ARE MADE IN AMERICA FIRMLY ADHERING TO THE BROWNELL SEVEN STANDARDS OF QUALITY

THE BROWNELL SEVEN STANDARDS OF QUALITY



Only first-rate American steel



60 years of perfected manufacturing techniques



All products carry a certified safe working load



Precision Acme #4 threads



Daily redundant quality control



7-ply marine-grade plywood



Highest-quality casters



Check out helpful tips and how-to videos on our website!

BROWNELL MANUFACTURES THE HIGHEST QUALITY, SAFEST BOAT STANDS AND EQUIPMENT ON THE MARKET



LIFETIME WARRANTY

Brownell Boat Stands are warranted to be free from defects in material and workmanship for the life of the product. Please report any such defects to Brownell for verification. If such defects are verified, Brownell will replace or repair that product or component at no charge.

LEARN ABOUT OUR SAFETY TRAINING PROGRAM



Keep your staff, customers and their boats safe. Make sure everyone in your yard goes through **The Brownell Safety Training Program** and receives their certificate of completion.

TABLE OF CONTENTS

BOAT STANDS	04
motorboat stands	
mega boat stands	
sailboat stands	
maxi sailboat stands	
KEEL SUPPORT	12
keel stands	
keel benches	
block support	
BOAT RACKS	14
boat racks	
display stands	
BOAT DOLLIES	16
caster options	
boat dollies	
PONTOON PRODUCTS	18
pontoon dollies	
pontoon racks	
pontoon stands	
BOAT LIFT SYSTEMS	20
manual systems	
hydraulic systems	
SHOP EQUIPMENT	22
drive racks	
outboard racks	
stern drive jack	
dispenser dolly	
STAND TOPS	24
replacement pads, stand cover	
boat stand tops	
TRAILER COMPONENTS	27
trailer tops w/locking adjustments	
wedge stands	



WE ARE PROUD TO
ANNOUNCE OUR
NEW FACTORY!

48,000 SQUARE FEET
INCREASED EFFICIENCY
EXPANDED PRODUCTION
COMMITTED TO AMERICAN
MANUFACTURING





SERVICE STATION

- Holds lower units, sterndrives, and small outboards for seasonal maintenance or repairs
- Purchase as complete units, or individual components
- Components work with other brands already in your shop
- Floor-mounted pedestal base or bench mount available
- Locking pin secures the unit at 45deg intervals for easy access
- Accommodates lower units up to 400HP and outboards up to 50HP



SERVICE STATION

P/N	DESCRIPTION
COMPLETE UNITS	
SSFLU	Pedestal Base with T-Bracket and Lower Unit Fixture
SSFOB	Pedestal Base with T-Bracket and Small OB Fixture
SSBLU	Bench Mount with Lower Unit Fixture
SSBOB	Bench Mount with Small OB Fixture
ACCESSORIES	
SSPED	Pedestal Base Only
SSBENCH	Bench Mount Base Only
SST	T-Bracket Only (for pedestal mount)
SSLU	Lower Unit Fixture Only
SSOB	Small Outboard Fixture Only
SSTOOL	Tool tray for pedestal base

HOW TO USE THE SERVICE STATION VIDEO



MOTORBOAT STANDS

Our motorboat stands are certified to a safe working load of 20,000 lbs. (9,100 kgs). In 70 years, **a Brownell stand has never failed.**

Both our traditional blue painted finish or hot-dipped galvanized stands offer long-lasting durability. Our adjustable stands feature a precision-cut Acme threaded, solid steel center rod for easy adjustment even under load, and a vertical base **with a top that swivels to 25-degrees** to fit most hull shapes.

WHEN NOT IN USE, MOTORBOAT STANDS STACK NEATLY FOR STORAGE.



"With 4 acres of yard space I have purchased thousands of Brownell boat stands. They are tough, sturdy, reliable and made in the USA. They are the only stands I trust to protect my customers' boats."

Howard D. Bean

North Harbor Diesel & Yacht Service Inc.
Anacortes, WA

GALVANIZED OR PAINTED

CHOOSE THE RIGHT FINISH FOR YOU

All stands also available in galvanized by adding "G" to the end of the part number, e.g., MB2G





MB4 | MB4G
MOTORBOAT STAND

- Height: 18" - 25"
(46 cm - 64 cm)
- Weight: 27 lbs. (12.3 kgs)



MB3 | MB3G
MOTORBOAT STAND

- Height: 25" - 38"
(64 cm - 97 cm)
- Weight: 36 lbs. (16.3 kgs)

**LEARN HOW TO
BLOCK SAFELY**

**WITH EITHER OUR TREATED
OR UNTREATED BLOCKS**



MB2 | MB2G
MOTORBOAT STAND

- Height: 29" - 46"
(74 cm - 117 cm)
- Weight: 43 lbs. (19.5 kgs)



MB1 | MB1G
MOTORBOAT STAND

- Height: 33" - 50"
(84 cm - 127 cm)
- Weight: 47 lbs. (21.3 kgs)



MBO | MBOG
MOTORBOAT STAND

- Height: min. 41" - 58"
(104 cm - 142 cm)
- Weight: 55 lbs. (25.0 kgs)



MBOX | MBOXG
MOTORBOAT STAND

- Height: 54" - 72"
(137 cm - 183 cm)
- Weight: 68 lbs. (30.8 kgs)



MBOXX | MBOXXG
MOTORBOAT STAND

- Height: 67" - 84"
(170 cm - 213 cm);
- Weight: 81 lbs. (36.7 kgs)

NEED A SPARE OR REPLACEMENT?

- Bases can be purchased separately by adding "BASE" to the end of the part number, e.g., **MB2BASE**. Subtract 4" from min height.
- All stands available with a V-top by adding "V" to the end of the part number, e.g., **MB2V**

FIND A VARIETY OF STANDTOPS ON PAGE 25

MEGA BOAT STANDS

Introducing our extended line of MEGA stands, helping you keep larger yachts and commercial vessels safe. Using the **Brownell 7 Standards of Quality**, these rugged steel constructed boat stands have safe working loads up to **25 tons**. Order these to keep your largest displacement vessels safe. Use with our **KB12, KB100, or KB50** keel bench.



KB50 | KB50G ADJUSTABLE KEEL BENCH

- **SWL 50,000 lbs.** (22,680 kgs)
- Adjustable Height: 3 positions - 31", 38" and 45"
- 8" x 24" wood block
- Base dimensions: 22" x 30"
- Weight: 182 lbs. (83 kgs)
- Hot-dip galvanized



HEAVY DUTY KEEL SUPPORT



KB12 | KB12G FIXED HEAVY DUTY KEEL BENCH


- **SWL 80,000 lbs.** (36,400 kgs)
- Load distributed on a 12" x 24" (31 cm x 56 cm) surface
- Dimensions: 21" x 30" x 36" (55 cm x 76 cm x 91 cm)
- Weight: 160 lbs. (72.6 kgs)
- Hot-dip galvanized only



KB100 | KB100G FIXED HEAVY DUTY KEEL BENCH

- **SWL 100,000 lbs.** (45,350 kgs)
- Load distributed on a 12" x 22" (31 cm x 56 cm) surface
- Dimensions: 21" x 30" x 30" (55 cm x 76 cm x 76 cm) 115lbs (52 kgs)

PIN & SCREW MEGA BOAT STANDS



2" ACME SCREW FOR FINE ADJUSTMENT

SBX58 | SBX58G MEGA ANGLED BASE

ADJUSTMENT RANGE: 5' – 8'

PART NUMBERS

- SBX58MD - 20T angled
- SBX58HD - 25T angled
- Base dimensions - 48" deep, 60" wide
- Pin adjustment for quick gross adjustment in 12" increments

MBX69 | MBX69G MEGA VERTICAL BASE

ADJUSTMENT RANGE: 6' – 9'

PART NUMBERS

- MBX69MD - 20T vertical
- MBX69HD - 25T vertical
- Base dimensions - 30" square
- Pin adjustment for quick gross adjustment in 12" increments

MBX47 | MBX47 MEGA VERTICAL BASE

ADJUSTMENT RANGE: 4' – 7'

PART NUMBERS

- MBX47MD - 20T vertical
 - MBX47HD - 25T vertical
 - Base dimensions - 30" square
- Pin adjustment for quick gross adjustment in 6" increments

STANDARD MEGA BOAT STANDS

	MBX5	MBX6	MBX7	MBX8
Height	65" – 78" (165 cm – 198 cm)	77" – 90" (195 cm – 228 cm)	89" – 102" (226 cm – 259 cm)	101" – 114" (256 cm – 289 cm)
Weight	226 lbs. (103 kgs)	249 lbs. (113 kgs)	274 lbs. (124 kgs)	321 lbs. (146 kgs)

STANDARD MEGA STANDS - 25T

OUR STANDS STACK FOR BETTER STORAGE




MBXTOP MEGA STAND FLAT TOP

- Overall Length: 25"
- Adjustment: 14"
- Rod Diameter: 2"
- Oversized handle for greater leverage and easier adjustment under load
- Weight: 31 lbs. (14 kgs)

SAILBOAT STANDS

All Brownell Boat Stands come with a Lifetime Warranty. In 70 years, a Brownell stand has never failed.

Our sailboat stands are certified to a **safe working load of 20,000 lbs. (9,100 kgs)**, and are built with a 23-degree angled base for better support against sailboat hulls. Between the angled base and the swivel top, the pad can go from parallel to the ground to 45-degrees, thereby having the ability to safely support virtually any boat. A chain must be used to connect the stands across the width of the boat (port to starboard) using the slot welded to the base. Additionally, it is recommended to utilize a stand with a V-Top at the center line towards the bow to prevent the boat from tipping forward on its keel. Both our traditional blue painted finish or hot-dip galvanized stands offer long-lasting durability.



WHEN NOT IN USE, THE SAILBOAT STANDS NEST NEATLY FOR STORAGE.

GALVANIZED OR PAINTED

CHOOSE THE RIGHT FINISH FOR YOU

All stands also available in galvanized by adding "G" to the end of the part number, e.g., MB2G





SB4 | SB4G
3' SAILBOAT STAND

- Height: 24" - 36"
(61 cm - 91 cm)
- Weight: 35 lbs. (15.9 kgs)



SB3 | SB3G
4' SAILBOAT STAND

- Height: 35" - 52"
(52 cm - 132 cm)
- Weight: 49 lbs. (22.2 kgs)



SB2 | SB2G
5' SAILBOAT STAND

- Height: 46" - 65"
(117 cm - 165 cm)
- Weight: 62 lbs. (28.1 kgs)



SB1 | SB1G
6' SAILBOAT STAND

- Height: 64" - 79"
(163 cm - 201 cm)
- Weight: 78 lbs. (35.4 kgs)



SBO | SBOG
7' SAILBOAT STAND

- Height: 79" - 96"
(201 cm - 244 cm)
- Weight: 93 lbs. (42.2 kgs)



SB2XV | SB2XVG
6' HYDRAULIC TRAILER BOW STAND

- V-Top
- Height: 64" - 79"
(162 cm - 200 cm)
- Weight: 78 lbs. (35.4 kgs)
- Long neck with narrow base. Used at bow in conjunction with hydraulic trailer



3/16" GALVANIZED SAFETY CHAIN

- Required to safely utilize sailboat stands.
- Available in bulk or by foot.

NEED A SPARE OR REPLACEMENT?

- Bases can be purchased separately by adding "BASE" to the end of the part number, e.g., **MB2BASE**. Subtract 4" from min height.
- All stands available with a V-top by adding "V" to the end of the part number, e.g., **MB2V**

FIND A VARIETY OF STANDTOPS ON PAGE 25

KEEL SUPPORT

Keel stands take most of the vessel's weight while out of the water, while boat stands balance and stabilize. Keel stands are placed under the keel and quickly adjusted to the proper height, thereby saving labor and increasing efficiency and profit.


Brownell **keel benches** are quick to install and provide proper support. With our keel stands rated from 10,000 lbs. (4,550 kgs) to 100,000 lbs. (45,359 kgs) they are ideal even for large recreational and commercial vessels.

Our **wood blocks** are the best option under a sailboat keel. They are cut from eastern pine and come untreated or pressure treated for longer lifespan.

"We began using Brownell keel stands about 2 years ago mainly for boats under 50 feet in length. We started with 12. We now have about 30. They have helped us decrease the time to block the boats, resulting in an increase in efficiency and hauls per day. The stands are well made and easy to use. We would strongly recommend them."

Mike Wilkinson

Bayliss Boatworks



GALVANIZED OR PAINTED

CHOOSE THE RIGHT FINISH FOR YOU

All stands also available in galvanized by adding "G" to the end of the part number, e.g., MB2G





K4 | K4G

- SWL 20,000 lbs. (9,100 kgs)
- Height: 16" - 24" (41cm - 61cm)
- Weight: 23 lbs. (10.4 kgs)



KS1 | KS1G

- SWL 20,000 lbs. (9,100 kgs)
- Height: 20" - 32" (51cm - 81cm)
- Weight: 36 lbs. (16.3 kgs)
- Also available with Flat Top KS1F
- 5" Flat or 6" V



KS28 | KS28G

- SWL 20,000 lbs. (9,100 kgs) each
- Height: 28" - 41" (71cm - 104 cm)
- Weight: 42 lbs. (19.1 kgs)
- Also available with Flat Top KS28F
- 5" Flat or 6" V



**BRB16 | BRB16G
KEEL BENCH**

- SWL 20,000 lbs. (9,100 kgs)
- Dimensions: 22" x 24" x 16" (56 cm x 51cm x 41 cm)
- Weight: 45 lbs. (20.4 kgs)

HEAVY DUTY



**KB50
ADJUSTABLE KEEL BENCH**

- SWL 50,000 lbs. (22,680 kgs)
- Adjustable Height: 3 positions - 31", 38" and 45"
- Base dimensions: 22" x 30"
- Weight: 182 lbs. (83 kgs)



**KB12
FIXED KEEL BENCH**

- SWL 80,000 lbs. (36,400 kgs)
- Load distributed on a 12" x 22" (31 cm x 56 cm) surface
- Dimensions: 21" x 30" x 36" (55 cm x 76 cm x 91 cm)
- Weight: 160 lbs. (72.6 kgs)

**KB100
FIXED KEEL BENCH**

- SWL 100,000 lbs. (45,350 kgs)
- Load distributed on a 12" x 22" (31 cm x 56 cm) surface
- Dimensions: 21" x 30" x 30" (55 cm x 76 cm x 76 cm) 115lbs (52 kgs)

WOODEN KEEL SUPPORT BLOCKS



PINE UNTREATED BLOCK

	B6	B8	B12
Dimensions	6" x 6" x 22" (15 x 15 x 56 cm)	8" x 8" x 22" (20 x 20 x 56 cm)	12" x 12" x 22" (30 x 30 x 56 cm)
Weight	18 lbs. (8.0 kgs)	28 lbs. (12.5 kgs)	60 lbs. (27.5 kgs)
Pallet Qty.	98	50	24

PINE PRESSURE TREATED BLOCK

	B8PT	B12PT
Dimensions	8" x 8" x 22" (20 x 20 x 56 cm)	12" x 12" x 22" (30 x 30 x 56 cm)
Weight	49 lbs. (22.0 kgs)	78 lbs. (35.5 kgs)
Pallet Qty.	50	24



BOAT RACKS

Brownell's Boat Racks are the simplest storage solution on the market, designed to safely store a boat for service or wash down.

Brownell boat racks are recommended for boats up to **20,000 lbs.** (9,100 kgs.) The bow rests on the flat bench and the stern is supported by two fixed pads creating a safe and stable platform. The high ground clearance in the taller "X" series makes hull waxing or bottom painting easier. They disassemble for storage and transportation.

The BR37 provides **four tops** to disperse load and protect the gelcoat and glass, with a minimal storage footprint. It is recommended to utilize two to three racks to best distribute the load.

"All Brownell Boat Stands, nothing but the best!"

Scott Hamernick

Scituate Boat Works

GALVANIZED OR PAINTED

CHOOSE THE RIGHT FINISH FOR YOU

All racks also **available in galvanized** by adding "G" to the end of the part number, e.g., **BRBG**




Innovative system to safely secure catamarans and other modern boats with thin hulls. The straps conform to the hull shape and distribute the load.



CATBOW - CATAMARAN SLING SYSTEM - BOW

- SWL 10,000 lbs. (4,550 kgs) each
- Dimensions: 44" x 40" x 61.5" (112 cm x 122 cm x 156 cm)
- Weight: 213 lbs. (96.6 kgs)
- Use with CATSTERN
- Only in galvanized



CATSTERN - CATAMARAN SLING SYSTEM - STERN

- SWL 10,000 lbs. (4,550 kgs)
- Dimensions: 67" x 48" x 52" (170 cm x 122 cm x 132 cm)
- Weight: 217 lbs. (98.4 kgs)
- Use with CATBOW
- Only in galvanized



BRB | BRBG BOW RACK

- SWL 10,000 lbs. (4,550 kgs) each
- 28" x 24" x 30" (70 cm x 62 cm x 76 cm)
- Weight: 60 lbs. (27.2 kgs)
- Use with BRS41



BRS41 | BRS41G STERN RACK

- SWL 10,000 lbs. (4,550 kgs) each
- 31.5" x 41.5" x 30" (79 cm x 105 cm x 76 cm)
- Weight: 68 lbs. (30.8 kgs)
- Use with BRB



BRBX | BRBXG BOW RACK TALL

- SWL 10,000 lbs. (4,550 kgs) each
- 52" x 34" x 48" (132 cm x 86 cm x 121 cm)
- Weight: 128 lbs. (58 kgs)
- Use with BRS41X



BRS41X | BRS41XG STERN RACK TALL

- SWL 10,000 lbs. (4,550 kgs) each
- 54" x 41.5" x 48" (136 cm x 105 cm x 121 cm)
- Weight: 126 lbs. (57 kgs)
- Use with BRBX



BR37 | BR37G DISPLAY RACK

- SWL 20,000 lbs. (9,100 kgs) each
- 34" x 37"
- Height: 19" - 28" (48 cm - 71 cm)
- Weight: 67 lbs. (30 kgs)
- Acme-threaded to allow leveling of boat
- Painted finish
- Ideal for showroom, shows, and storage

BOAT DOLLIES

Boat dollies, sometimes called trollies, are one of the most useful pieces of equipment in the marine industry. They can be utilized to safely and professionally display boats in a showroom or boat show. They are also useful in maximizing the space in a workshop or storage facility, thereby maximizing profit. Brownell manufactures an extensive range of steel dollies for a broad range of boats including:

- Small craft and personal watercraft
- Pontoon boats
- Motorboats of various sizes up to 35,000 lbs. (16,000 kgs)

All Brownell dollies are made in the USA and feature high quality phenolic casters to roll smoothly and prevent marking floors. All surfaces in contact with the boat are padded to prevent slipping and marking the hull.

CHOOSE THE RIGHT WHEEL FOR THE RIGHT SITUATION.

PHENOLIC



Non-marking, Showrooms and other smooth floors
For this wheel, use standard part number, no suffix needed

METAL V-GROOVE



Production or assembly line
For this wheel, add V as a suffix to the part number

POLY ON METAL



Rough and uneven surfaces
For this wheel, add POLY as a suffix to the part number





SCD1 | SCD2G SMALL CRAFT/PWC DOLLY

- Capacity 2,000 lbs. (905 kgs) **each**
- Dimensions: 48" x 38" x 16" (140 cm x 97 cm x 41 cm)
- Weight: 85 lbs. (39.0 kgs)
- Wheel size: 4" x 2"



BD4 | BD4G BUNK DOLLY

- Single Dolly safely supports a boat
- Capacity 2,000 lbs (905 kgs) w/2x10 bunks, 4,000 lbs w/4x10 bunks
- Adjustable width 31" to 42"
- Use up to 8' bunk
- Swivel casters with brakes
- Customer supplies wood support



BD2 | BD2G BOAT DOLLY

- Capacity 8,000 lbs. (3,630 kgs) **per pair**
- Height: min. 15" - 21" (39 cm - 54 cm)
- Dimensions: 39" x 24" (99 cm x 61 cm)
- Weight: 84 lbs. (38.1 kgs)
- Wheel size: 6" x 2" with brakes



BD3 | BD3G BOAT DOLLY

- Capacity 12,000 lbs. (5443 kgs) **per pair**
- Height: 29" - 33" (73.7 cm - 116.8 cm)
- Width: 51" - 77" (130 - 195 cm)
- Weight: 183 lbs. (83 kgs)
- Wheel size: 6" x 2.5" with brakes
- Optional 12' connector bar available #BD3BAR12



BD1 | BD1G BOAT DOLLY

- Capacity 20,000 lbs. (9,100 kgs) **per pair**
- Width: 55" - 91" (138 cm - 221 cm)
- Height: 29" - 46" (73.7 cm - 116.8 cm)
- Weight: 272 lbs. (108.8 kgs)
- Wheel size: 8" x 3" with brakes
- Designed for keel loading



BDXL | BDXLG BOAT DOLLY

- Capacity 35,000 lbs. (15,875 kgs) **per pair**
- Width: 12" x 136" (30 cm x 345 cm)
- Height: 31" x 42" (78 cm x 120 cm)
- Weight: 524 lbs. (238 kgs)
- Wheel size: 8" x 3" with brakes
- Options: BDXLTB - Tow Bar
- BDXLCK Connector Kit

SEE PAGE 19 FOR PONTOON DOLLIES



PONTOON PRODUCTS

Pontoon boats have never been more popular with customers. With this increase in popularity, these vessels are getting larger, costlier, and more elaborate, requiring quality dollies, racks, and stands to keep them safe. Brownell manufactures an extensive line of products to safely store or display pontoon boats. As well, Brownell products are constructed to enhance efficiency and safety in the workplace.

"Brownell Boat Stands are a must have for all boatyards in my opinion. We operate a yard with a 100 ton Travelift and we deal with vessel from 25 feet – 90 feet. We lift 500+ vessels per year of various types; using boat stands is a daily issue for us. We have tried most other brands of stands but we have found that the design and quality of the Brownell Boat Stands is superior and in our opinion the best in the market today. We also appreciate Brownell's continued effort to introduce a variety of innovative products for boatyards such as the staging ladders, boat lifting systems, engine handling systems etc which help to make our boatyard processes more efficient."

Bruce Kempling

Ocean Pacific Marine Supply
Campbell River, BC

THE BROWNELL SEVEN STANDARDS OF QUALITY



Only first-rate American steel



60 years of perfected manufacturing techniques



All products carry a certified safe working load



Precision Acme #4 threads




Daily redundant quality control



7-ply marine-grade plywood



Highest-quality casters




**PD2
PONTOON DOLLY**

- Capacity 2,000 lbs (905 kgs)
- Dimensions: 19" x 19.5" x 8" (48 cm x 50 cm x 20 cm)
- Weight: 32 lbs. (14.5 kgs)
- Packed two per box
- Wheel size: 4" x 2"



**PD2X
TALL PONTOON DOLLY**

- Capacity 2,500 lbs. (1,134 kgs)
- Dimensions: 19" x 19.5" x 19" (48 cm x 50 cm x 23 cm)
- Weight: 47 lbs. (21.3 kgs)
- Wheel size: 4" x 2"



**PD2B
PONTOON DOLLY**

- Same specifications as PD2, but has brake on all 3 casters.



**PD3
PONTOON DOLLY**

- Capacity 2,500 lbs. (1,134 kgs) each
- Dimensions: 24" x 32" x 17" (61 cm x 32 cm x 44 cm)
- Weight: 59 lbs. (27.0 kgs)
- Wheel size: 4" x 2"



**PVTOP
PONTOON V-TOP**

- Rod Length: 16" (41cm)
- Weight: 20 lbs. (9.0 kgs)
- Fits any motorboat stand base
- Dimensions: 16" x 6" (40 cm x 15 cm)
- Extra wide for large pontoons



**K4V
KEEL STAND**

- SWL 20,000lbs (9,100 kgs)
- Safe storage close to the ground
- Height 16"-24" (41cm -61cm)
- Weight 25 lbs (11.3 kgs)
- 6" x 12" V top



**BRB
BOW RACK**

- SWL 10,000 lbs. (4,550 kgs) each
- 28" x 24" x 30" (70 cm x 62 cm x 76 cm)
- Weight: 60 lbs. (27.2 kgs)
- Use with BRS41



**BRBX
BOW RACK TALL**

- SWL 10,000 lbs. (4,550 kgs) each
- 52" x 34" x 48" (132 cm x 86 cm x 121 cm)
- Weight: 128 lbs. (58 kgs)
- Use with BRS41X

BOAT LIFT SYSTEMS

Brownell manufactures several systems designed to safely and quickly remove a boat from a trailer. Each system carries a safe working load and is designed for safe operation by one or two people. Whether in the shop, in the yard, or at a boat show, a Brownell Boat Lift System can help you work more quickly and efficiently while keeping personnel and boats safe.



BL2 | BL2G MANUAL BOAT LIFT

- Complete system to safely lift a boat up to 5,000 lbs. (2265 kgs)
- Two stands support the stern while the bow is lifted by a crossbeam connected to Acme threaded jacks
- Includes: 2 adjustable stern stands, two piece steel lifting beam, two adapters for flat or V hulls, two stands for lifting bow
- Accommodates trailers up to 103" wide
- Lifting range: 19" - 37" (61cm - 91 cm)
- Weight: 195 lbs. (88 kgs)



BLT4 | BLT4G TRAILER-MOUNTED BOAT LIFT

- Safely lifts a boat above its trailer up to 7,500 lbs. (3402 kgs)
- Maximum lifting height of 12" provides enough elevation to prepare and paint the bottom
- Mounts to the frame of trailers with beam dimensions of 2" - 3" wide and 4.5" - 5.75" high
- Not suitable for IBeam trailers
- Complete system includes four Acme threaded jacks, mounting plates, mounting hardware and two handle extensions for additional leverage
- Weight: 135 lbs. (61 kgs)

BL3 SYSTEM LIFTS UP TO 12,000 LB. BOAT

- SWL 3,000 lbs. (1360 kgs) per jack
- Powered by hydraulic jacks for smooth and easy operation
- Complete system utilizes four jacks
- Adjustable base and arm

**BL3
HYDRAULIC
BOAT LIFT**



Weight: 263 lbs. (120 kgs)

FULL SYSTEM IS FOUR JACKS (sold individually)

- Safety pins for added protection
- No-flat 10" tires and hand grip for easy mobility
- Lifting range 20" - 50" (51 cm - 127 cm)

+ AIR

**BL3AIR
AIR-POWERED
BOAT LIFT**



Weight: 300 lbs. (136 kgs)

BL8 SYSTEM LIFTS UP TO 32,000 LB. BOAT

- Strongest and most versatile lift available
- MAX SWL 8,000 lbs. (3628 kgs) per jack
- Powered by hydraulic jacks for smooth and easy operation
- Safety Pins for added protection
- No-flat tires and hand grip for easy mobility
- Adjustable arm with two arm positions
- Full capacity for entire lifting range 27" - 59"

**BL8
HYDRAULIC
BOAT LIFT**



Weight: 383 lbs. (210 kgs)

FULL SYSTEM IS FOUR JACKS (sold individually)

- Capacity at horizontal extension:
 - 8,000 lbs. at 10"
 - 6,000 lbs. at 14"
 - 4,000 lbs. at 18"

+ AIR

**BL8AIR
AIR-POWERED
BOAT LIFT**



Weight: 420 lbs. (227 kgs)

- Air over hydraulic operation allows one person to operate four lifts simultaneously with a standard (not included) manifold.
- 25' Air Hose Included
- Recommended air supply 120 PSI with minimum 20-gallon storage tank.

SHOP EQUIPMENT

In addition to a full line of boat storage and handling products, Brownell Boat Stands & Equipment manufactures a variety of accessories and equipment that will make your shop or yard operations safer and more efficient. From outboard and stern drive racks to stern drive installers and a handy material dispensing dolly, Brownell has the tools you need to streamline your operations. All carry a weight rating for safety. All engine racks feature phenolic wheels.

"We are the largest dry-storage facility in California. We have survived earthquakes and gale force winds and have never lost a boat in our yard. We credit our safety record to our professional staff and the exclusive use of Brownell Boat Stands."

Kirby Long
Napa Valley Marina

THE BROWNELL SEVEN STANDARDS OF QUALITY



Only first-rate American steel



60 years of perfected manufacturing techniques



All products carry a certified safe working load



Precision Acme #4 threads



Daily redundant quality control



7-ply marine-grade plywood



Highest-quality casters



SERVICE STATION

- Holds lower units, sterndrives, and small outboards for seasonal maintenance or repairs
- Purchase as complete units, or individual components
- Components work with other brands already in your shop
- Floor-mounted pedestal base or bench mount available
- Locking pin secures the unit at 45deg intervals for easy access
- Accommodates lower units up to 400HP and outboards up to 50HP

OBR1 OUTBOARD MOTOR RACK



- Designed to hold multiple small and medium motors up to 150 HP each
- No flat tires
- Capacity: 2000 lbs. (907 kgs)
- Dimensions: 53" x 24" x 45" (135 cm x 61 cm x 114 cm)
- Weight: 165 lbs. (74 kgs)
- Locking casters



OBR2 LARGE OUTBOARD MOTOR RACK

- Designed for the industry's largest outboards
- No flat tires
- Features standard bolt-on pattern
- Battery tray and handle bars for convenience
- Combination of swivel (w/ brakes) and rigid casters for easy maneuvering
- Capacity: 1,200 lbs. (544 kgs)
- Dimensions: 36" x 28" x 52" (91 cm x 71 cm x 133 cm)
- Weight 105 lbs. (48 kgs)

SDR1 SINGLE UNIT DRIVE RACK



- Ideal for outboard lower units or stern drives
- No flat tires
- Capacity: 500 lbs. (227 kgs)
- Dimensions: 24" x 22" x 17" (61 cm x 57 cm x 43 cm)
- Weight: 53 lbs. (24 kgs)



SDR4 FOUR-UNIT DRIVE STORAGE RACK

- Ideal for outboard lower units or stern drives
- No flat tires
- Capacity: 2,500 lbs. (1134 kgs)
- Dimensions: 49" x 24" x 22" (124 cm x 61 cm x 56 cm)
- Weight: 139 lbs. (63 kgs)

SWD1 DISPENSING DOLLY



- Convenient, mobile rack for dispensing a variety of rolled materials, e.g., shrink wrap, fiberglass, carpet, headliner and more
- No flat tires
- Holds four 200 lb. rolls
- Dimensions: 72" x 36" x 48" (183 cm x 91 cm x 122 cm)
- Weight: 208 lbs. (94 kgs)



SD3 HEAVY DUTY DRIVE JACK

- Ideal for outboard lower units or stern drives
- No flat tires
- Adjusts on three axes for easy installation or removal
- Cart handle provides easier maneuverability and additional leverage
- Capacity: 500 lbs. (227 kgs)
- Weight: 165 lbs. (74 kgs)

STAND TOPS

Various sizes and styles of Brownell Acme threaded stand tops are available.

They can be used to fabricate your own trailers or cradles, or replace older stand tops. Made from solid American steel, the precision cut Acme threaded rod is adjustable under load, allowing for secure storage. It is unthreaded at the bottom for safety and features a durable steel handle for adjusting the height.

Standard tops have a 1-7/16" O.D. rods and carry a 20,000 lb. (9,100 kgs) safe working load. The MBXTOP has a 2" O.D. rod and carries a 50,000 lb. (22,000 kgs) safe working load.

The OTOP, GTOP, BTOP, and MBXTOP feature a 25-degree swivel to conform to the hull. The other tops are fixed and do not swivel.

REPLACEMENT PADS

(FASTENERS INCLUDED)



OPLY 3/4" PLYWOOD PAD

- 12" x 12" 7-ply marine-grade plywood
- Painted for long life
- Pre-drilled for easy installation
- Packed five per box



TLCPAD PLASTIC AND TPE PAD

- Plastic pad with thermoplastic elastomer
- Provides TLC for additional protection of hull
- Sheds water and eliminates scuffing from grit
- Provides good traction/grip

STAND COVER



BSC1

- Ideal for boat shows and showrooms: Clean, professional look
- No more last-minute trips to the fabric store
- Contains four covers
- Fits MB3, MB2, and MB1

27" STANDTOPS (FITS ALL STANDS OTHER THAN LISTED BELOW)

Adjustment range 17"



OTOP
ORANGE FLATTOP

- Weight: 18 lbs. (8.0 kgs)
- 12" x 12" wood pad



OVTOP
ORANGE VTOP

- Weight: 16 lbs. (7.3 kgs)
- 3" x 12" v-shaped pad
- Padded steel surface



OWV
ORANGE WIDE VTOP

- Weight: 20 lbs. (9.1 kgs)
- 6" x 12" v-shaped pad



OTOP6
ORANGE FLATTOP

- 6" x 12" wood pad (15 cm x 30 cm)
- Weight: 18 lbs. (8.0 kgs)



MBXTOP
MEGA STAND FLATTOP

HEAVY DUTY

- 25 ton SWL
- Overall Length: 25"; Rod Diameter: 2"
- Oversized handle for greater leverage and easier adjustment under load
- Weight: 31 lbs. (14 kgs)

23" STANDTOPS (FITS MB3, SB4 AND W1)

Adjustment range 17"



GTOP
GREY FLATTOP

- Weight: 15 lbs. (6.8 kgs)
- 12" x 12" wood pad



GVTOP
GREY VTOP

- Weight: 14 lbs. (6.4 kgs)
- 3" x 12" v-shaped pad



GWV
GREY WIDE VTOP

- Weight: 18 lbs. (8.2 kgs)
- 6" x 7" v-shaped pad

16" STANDTOPS (FITS MB4 AND W2)

Adjustment range 7"



BTOP
BLUE FLATTOP

- Weight: 13 lbs. (6.0 kgs)
- 12" x 12" wood pad



BVTOP
BLUE VTOP

- Weight: 11 lbs. (5.0 kgs)
- 3" x 12" v-shaped pad



BWV
BLUE WIDE VTOP

- Weight: 16 lbs. (7.3 kgs)
- 6" x 12" v-shaped pad

KEEL STAND TOPS



KTOP - KEEL STAND FLATTOP

- Rod Length: 13" (33 cm)
- 8" adjustment
- Weight: 11 lbs. (5.0 kgs)
- 5" square top
- Fits K4



KVTOP
KEEL STAND VTOP

- Rod Length: 21" (54 cm)
- 12" adjustment
- Weight: 17 lbs. (7.7 kgs)
- 6" deep V
- Fits KS1 and KS28



KFTOP
KEEL STAND FLATTOP

- Rod Length: 23" (60 cm)
- 12" adjustment
- Weight: 14 lbs. (6.4 kgs)
- 5" square top
- Fits KS1 and KS28



PVTOP
PONTOON V-TOP

- Rod Length: 16" (41cm)
- **any adjustment?????**
- Weight: 20 lbs. (9.0 kgs)
- Fits any motorboat stand base
- Dimensions: 16" x 6" (40 cm x 15 cm)



K4VTOP
KEEL STAND VTOP

- Rod Length: 13" (33 cm)
- 8" adjustment
- Weight: 13 lbs. (5.9 kgs)
- 6" deep V
- Fits K4

MAXI SAILBOAT STANDS



Safety carried to new heights.

Maxi sailboat stands are designed for very deep draft boats; they have been independently tested and are **certified to a safe working load of 20,000 lbs. (9,100 kgs)**. Because of their large size, a ladder is incorporated in the base in order to easily reach the top for adjustment. They fold flat for easy storage and transportation, and are easily assembled with supplied hardware. The use of a chain is crucial with the maxi stands.



SB8 | SB8G

- Height: 95" - 111" (241 cm - 288 cm)
- Weight: 110 lbs. (49.5 kgs)

SB9 | SB9G

- Height: 108" - 125" (274 cm - 318 cm)
- Weight: 133 lbs. (60.0 kgs)

SB10.5 | SB10.5G

- Height: 123" - 140" (312 cm - 355 cm)
- Weight: 154 lbs. (69.5 kgs)

ADDITIONAL SIZES UP TO 15' BUILT TO ORDER

	SB12 SB12G	SB13 SB13G	SB14 SB14G	SB15 SB15G
Height	139" - 155" (353 cm - 394 cm)	154" - 170" (391 cm - 432 cm)	170" - 186" (432 cm - 472 cm)	185" - 200" (470 cm - 508 cm)
Weight	172 lbs. (78.0 kgs)	203 lbs. (92.0 kgs)	234 lbs. (106.0 kgs)	265 lbs. (120.0 kgs)

- Bases can be purchased separately by adding "BASE" to the end of the part number, e.g., SB2BASE
- All stands available with a V-Top by adding "V" to the end of the part number, e.g., SB2V

GALVANIZED OR PAINTED CHOOSE THE RIGHT FINISH FOR YOU

All maxi and wedge stands are available galvanized by adding "G" to the end of the part number, e.g., SB8G or W1G



TRAILER COMPONENTS

Trailer components. Brownell manufactures two products for building trailers or cradles. One utilizes stand tops with the addition of a set screw in the handle to prevent possible loosening due to road vibration. Secondly, Brownell manufactures two sizes of wedge stands, which are commonly u-bolted to a trailer frame or fastened to a wood beam. The two sides of each wedge stand differ in length for greater versatility.



TRAILER TOPS WITH LOCKING ADJUSTMENT



OTOPT GREY LOCKING TOP

- Rod Length: 27"
(70 cm)
- Weight: 18 lbs.
(8.2 kgs)



GTOPT GREY LOCKING TOP

- Rod Length: 23"
(60 cm)
- Weight: 16 lbs.
(7.3 kgs)



BTOPT BLUE LOCKING TOP

- Rod Length: 16"
(41 cm)
- Weight: 13 lbs.
(5.9 kgs)

Can be ordered with TLC pad by adding "TLC" to part number, e.g., OTOPTTLC

WEDGE STANDS



W1 | W1G

- Two Usable Positions
Position 1: 25"-38"
Position 2: 31"-44"
- Weight 35 lbs. (15.9 kgs)
- Includes locking trailer top



W2 | W2G

- Two Usable Positions
Position 1: 17"-26"
Position 2: 22"-31"
- Weight 23 lbs (10.4 kgs)
- Includes locking trailer top



THE BROWNELL SAFETY TRAINING PROGRAM



SAFETY TRAINING FOR YOUR TEAM

Make sure you, your team, your customers, and their boats are safe.

The Brownell Safety Training Program teaches users best practices to safely block, support, and store all types of boats.

Go to
boatstands.com
to sign up.



LEARN MORE ABOUT THE SAFEST STANDS IN THE INDUSTRY

FIND US ONLINE
hello@boatstands.com | boatstands.com

CALL US
1.508.758.3671

MADE IN THE U.S.A.
1000 Reed Road North Dartmouth, MA 02747

